


**AMENDMENTS TO THE CLAIMS**


1. (Original) A fungicidal mixture comprising, as active components,

1) the triazolopyrimidine derivative of the formula I



and

2) cyproconazole of the formula II,



in a synergistically effective amount.

2. (Original) A fungicidal mixture comprising the compound of the formula I and the compound of the formula II in a weight ratio of from 100:1 to 1:100.

3. (Original) A composition comprising a liquid or solid carrier and a mixture according to claim 1 or 2.

4. (Original) A method for controlling harmful fungi from the class of the *Oomycetes*, which comprises treating the fungi, their habitat or the seed, the soil or the plants to be protected against fungal attack with an effective amount of the compound I and the compound II according to claim 1.
5. (Currently amended) The method according to claim 4, wherein the compounds I and II ~~according to claim 1~~ are applied simultaneously, that is jointly or separately, or in succession.
6. (Currently amended) The method according to claim 4, wherein the mixture ~~according to claim 1 or 2~~ is applied to the soil or the plants to be protected against fungal attack in an amount of from 5 g/ha to 1000 g/ha.
7. (Currently amended) The method according to claim 4 ~~or 5~~, wherein the mixture ~~according to claim 1 or 2~~ is applied in an amount of from 1 to 1000 g/100 kg of seed.
8. (Currently amended) The method according to ~~any of claims 4 to 7~~ claim 4, wherein the harmful fungus *Plasmopara viticola* is controlled.
9. (Original) Seed comprising the mixture according to claim 1 or 2 in an amount of from 1 to 1000 g/100 kg.

10. (Original) The use of the compound I and the compound II according to claim 1 for preparing a composition suitable for controlling *Oomycetes*.